(Fabricated)

# • AUTOMATIC SELF-CLEANING STRAINER

# **APPLICATIONS**

Designed for continuous removal of suspended particles from all types of liquids. Applications are in industrial plants using river, lake, well, or sea water for cooling, descaling, bearing lubrication, spraying, quenching, and similar purposes. Pipeline sizes: 8"- 36" or larger.

Liquids other than water, such as chemicals, acids, white water (paper mills), sewage plants, and ammonia flushing liquor (coke plants) can also be effectively strained.

### INSTALLATION

Installation is made on the discharge side of a pump or in any piping system operating under a positive pressure. The minimum working pressure required to effectively clean the straining media is 20 psi. The strainer is compact with small face-to-face, width, and height dimensions. Installation can be made in a horizontal or vertical pipeline.

# DESIGN

The strainer consists of a cylindrical drum with a number of threaded holes containing straining media. Within the drum is contained a rotor, which is essentially a hollow rotating shaft—supporting two pads extended on each side. These pads are flush with the inside of the drum surface.

### **OPERATION**


The liquid to be strained enters the inlet connection located in the lower portion of the body and flows upward into the inner surface of the drum. The suspended particles are retained in the media pockets and the clean liquid passes through the media—leaving the body at the outlet connection located diametrically opposite the inlet.


### **BACKWASH**


As the rotor sweeps past each row of straining media, a reversal of flow occurs, flushing the suspended particles from the media pockets into the rotor and out through the backwash opening. This reversal of flow is caused by a pressure differential between the interior of the strainer and atmosphere. The backwash flow rate is exceptionally low and will vary, depending on the amount of suspended particles in the liquid. The backwash piping should discharge downward into an open funnel immediately after the backwash valve.

## **AUTOMATIC BACKWASH CONTROL**

In lieu of a manually operated valve on the backwash outlet line, an automatic control can be furnished to permit intermittent backflushing. This control consists of a motor or pneumatic cylinder operated ball valve actuated by a timer or a pressure differential switch (or both).







MODEL AF FABRICATED									
STRAINER SIZE-A		APPROX.							
	В	С	D	E	F	G	н	SHIP. WT. LBS.	
8	31	11/2	121/2	577/8	16	3 ▲	79	2,100	
10	31	21/2	111/2	577/s	16	3 ▲	79	2,150	
12	41	31/2	151/2	711/4	183/4	3 ▲	993/8	3,520	
14	41	41/2	141/2	711/4	183/4	3 ▲	993/8	3,560	
16	45	3	191/4	871/8	223/8	4	1281/8	6,075	
18	45	4	181/4	871/8	223/8	4	1281/8	6,200	
20	56	5	20	891/8	243/8	4	1283/4	7,680	
24	62	7	233/4	1101/2	275/8	4	1595/8	11,270	
30	72	81/2	27	1271/2	331/2	6	178	15,530	
36	88	133/4	31	1341/2	381/2	6	192	23,500	

▲ Pipe tap Do not use for construction—certified prints will be furnished

CONSTRUCTION									
PART	STANDARD	SEA WATER	WHITE WATER	AMMONIACAL LIQUOR					
BODY	Fabricated Steel (Epoxy Lined)	Fabricated Steel (Epoxy Lined) or Stainless Steel	Stainless Steel	Fabricated Steel					
DRUM	Cast Iron	Ni-Resist	Stainless Steel	Cast Iron					
MEDIA	As Specified	As Specified	As Specified	As Specified					
MEDIA RETAINERS	Delrin	Stainless Steel	Delrin	Stainless Steel					
ROTOR	Ductile Iron	Stainless Steel	Stainless Steel	Ductile Iron					



# S. P. KINNEY ENGINEERS, INC. 143 FIRST AVENUE • CARNEGIE, PENNSYLVANIA 15106

PHONE: (412) 276-4600 FAX: (412) 276-6890

http://www.icglink.com/kinney/